

Issued Date: 2012. 12. 24 Page 1 of 4

To: KUMHO PETROCHEMICAL CO., LTD.

118 3 ro Yeosusandan Yeosu-si Jeonlanamdo Korea

The following merchandise was submitted and identified by the client as :

SGS File No.	: AYAU12-06927
Product Name	: KBR-710S
Item No./Part No.	: N/A
Received Date	: 2012. 12. 18
Test Period	: 2012. 12. 19 to 2012. 12. 24
Test Results	: For further details, please refer to following page(s)
Test Performed	: SGS Korea tested the sample(s) selected by applicant with following results.

SGS Korea Co., Ltd. / Gimhae Laboratory

Thursng

Thomas Hwang / Lab Manager

Sharpless Park Jonadan Lee Taehee Kang Jongsir Lim/Testing Person

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/en/Terms-and-Conditions aspy</u> and the fire of the fire on the subject on the time of its intervention only and within the limits of Client's instructions, if any. The Company sole responsibility is to its Client's instructions and justication on the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, for excretions as tatted the results shown in this test terport refer only to the sample(s) is tested and subjects and the for 90 days only.



Issued Date: 2012. 12. 24 Page 2 of 4

Sample No.	: AYAU12-06927.001
Sample Description	: KBR-710S
Item No./Part No.	: N/A
Materials	: N/A
Heavy Metals	

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, ICP	1	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, ICP	2	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, ICP	5	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008, UV-VIS	1	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.


NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:
 - Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accor www.sac.com/terms_e-document.htm_Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hol any. The Company's sole responsibility is to its Clearin and his document does not exonarele parties to a transaction from exercising all their rights forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(c) tested and such sample(c) are retained for 50 days only. or accessible at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any numberized alteration.





NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating


Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at www.sgs.com/en/Terms-and-Conditions.aspx and for electronic



Issued Date: 2012. 12. 24 Page 4 of 4

Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr⁶⁺ /PBBs&PBDEs Testing



The samples were dissolved totally by pre-conditioning method according to above flow chart for Cd,Pb,Hg. Section Chief : Shapless Park

*** End ***

NOTE:(1) N.D. = Not detected.(<MDL)

- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents and http://wwww.sgs.com/en/Terms-and-Conditions and