

# SAFETY DATA SHEET KUMHO KBR 01

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010, COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name KUMHO KBR 01

REACH registration number -

**REACH registration notes**Monomer is registered instead of Polybutadiene. (Registration number of monomer:

Butadiene: 01-2119471988-16-\*\*\*\*)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Raw materials for tires, shoes, rubber hoses

Uses advised against No specific uses advised against are identified.

### 1.3. Details of the supplier of the safety data sheet

Supplier OR of KOREA KUMHO Petrochemical Co., Ltd.

KIST Europe Forschungsgesellschaft mbH

Campus E71 66123 Saarbruecken

Germany

Tel: +49 681 9382 334 Fax: +49 681 9382 319

e-mail: reach.it@kist-europe.de

**Manufacturer** Korea Kumho Petrochemical Co., Ltd.

287-1, Pyeongyeo-Dong, Yeosu-si

Jeollanam-do, Korea

+82 61 688 3060 ~ 9 +82 61 688 3168

# 1.4. Emergency telephone number

Emergency telephone +49 551 19240

GIZ-Nord, Goettingen, Germany (English only)

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aguatic Chronic 3 - H412

# **KUMHO KBR 01**

2.2. Label elements

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Polybutadiene 60-100%

CAS number: 9003-17-2

Classification
Not Classified

SHT <1%

CAS number: 128-37-0 EC number: 204-881-4 REACH registration number: 01-

2119480433-40-XXXX

M factor (Chronic) = 1

Classification

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General information** Get medical attention.

**Inhalation** Move affected person to fresh air at once. When breathing is difficult, properly trained

personnel may assist affected person by administering oxygen.

Ingestion Never give anything by mouth to an unconscious person. Consult a physician for specific

advice. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Skin contact Continue to rinse for at least 15 minutes. Remove contaminated clothing immediately and

wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact Continue to rinse for at least 15 minutes and get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

General informationNot available.InhalationNot available.IngestionNot available.Skin contactNot available.Eye contactNot available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treatment may vary with condition of victim and specifics of incident.

### **KUMHO KBR 01**

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours. Vapours may be ignited by a spark, a hot surface or an ember.

Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Containers can burst violently or explode when heated, due to excessive

pressure build-up.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.

### 5.3. Advice for firefighters

Protective actions during

firefighting

Fight advanced or massive fires from safe distance or protected location. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Move containers from fire area if it can be done without risk. Keep up-wind to avoid fumes. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid heat, flames and other sources of ignition.

Special protective equipment

for firefighters

Personal precautions

Use personal protective equipment as required.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Keep upwind. Evacuate area. Keep away from sources of ignition - No smoking. Do not handle broken packages without protective equipment. Put on protective equipment before entering danger area.

### 6.2. Environmental precautions

**Environmental precautions** 

Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spillages: Avoid the spillage or runoff entering drains, sewers or watercourses.

Approach the spillage from upwind. Environmental Manager must be informed of all major spillages. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Small Spillages: Collect and place in suitable waste disposal

containers and seal securely. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes. For personal protection, see Section 8. Wash contaminated

skin thoroughly after handling. Store away from incompatible materials (see Section 10).

# 7.2. Conditions for safe storage, including any incompatibilities

# **KUMHO KBR 01**

Storage precautions Protect against direct sunlight. Do not store near heat sources or expose to high

temperatures. Static electricity and formation of sparks must be prevented. Keep away from

combustible materials. Store in accordance with local regulations.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

# Occupational exposure limits

**BHT** 

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

**Ingredient comments** No exposure limits known for ingredient(s).

# 8.2. Exposure controls

### Protective equipment







Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Wear safety glasses with side-shields conforming to EN166.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex).

Other skin and body

protection

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Provide

eyewash station and safety shower.

Respiratory protection

Under frequent use or heavy exposure, respiratory protection may be needed. Wear a

suitable dust mask.

Environmental exposure

controls

Avoid releasing into the environment.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Appearance Solid

Colour Yellow-white.

Odour Mild.

Odour thresholdNot available.pHNot applicable.Melting pointNot applicable.

### **KUMHO KBR 01**

**Initial boiling point and range** Not applicable.

Flash point Not applicable.

**Evaporation rate** Not available.

Upper/lower flammability or

explosive limits

Relative density

Not available.

0.91 @ 20°C

Other flammabilityNot available.Vapour pressureNot applicable.Vapour densityNot applicable.

Solubility(ies) Insoluble in water.

Partition coefficient Not applicable.

Auto-ignition temperature 316°C

**Decomposition Temperature** Not applicable.

Viscosity Not applicable.

Explosive properties Not applicable.

Oxidising properties Not available.

9.2. Other information

Molecular weight 500,000

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity Not available.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

10.4. Conditions to avoid

Conditions to avoid Oxidising materials.

10.5. Incompatible materials

Materials to avoid Acid anhydrides. Acid chlorides (Acyl chlorides). Acids. Alkalis. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition Carbon monoxide (CO). Carbon dioxide (CO2). Irritating gases or vapours. Toxic and

**products** corrosive gases or vapours.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Not available.

### **KUMHO KBR 01**

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Not available.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Not available.

Serious eye damage/irritation

Serious eye damage/irritation Not available.

Respiratory sensitisation

**Respiratory sensitisation** Not available.

Skin sensitisation

**Skin sensitisation** Not available.

Germ cell mutagenicity

Genotoxicity - in vitro Not available.

**Genotoxicity - in vivo** Not available.

Carcinogenicity

Carcinogenicity Not classified as carcinogens (A1) but carcinogens (A2) suspects in the public notice.

Antioxidant (BHT): IARC Group 3, Group 4 ACGIH

Reproductive toxicity

Reproductive toxicity -

development

Not relevant.

Specific target organ toxicity - single exposure

STOT - single exposure

Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available.

Aspiration hazard

Aspiration hazard Not available.

Toxicological information on ingredients.

# Polybutadiene

Serious eye damage/irritation

Serious eye Irritation of eyes is assumed. (source : HSDB)

damage/irritation

Respiratory sensitisation

# SECTION 12: Ecological Information

12.1. Toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic plants Not available.

Acute toxicity - Not available.

microorganisms

### **KUMHO KBR 01**

Acute toxicity - terrestrial Not available.

Chronic toxicity - fish early life Not available.

stage

Short term toxicity - embryo

and sac fry stages

Not available.

Chronic toxicity - aquatic

invertebrates

Not available.

# 12.2. Persistence and degradability

Persistence and degradability Not available.

Phototransformation Not available.

Stability (hydrolysis) Not available.

**Biodegradation** Not available.

#### 12.3. Bioaccumulative potential

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not available.

Henry's law constant Not available.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

Not available.

# 12.6. Other adverse effects

Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Waste is suitable for incineration. Incineration or landfill should only be considered when recycling is not feasible. Reuse or recycle products wherever

possible. Avoid or minimise the creation of any environmental contamination.

Disposal methods Confirm disposal procedures with environmental engineer and local regulations. Dispose of

waste via a licensed waste disposal contractor. Dispose of waste to licensed waste disposal

site in accordance with the requirements of the local Waste Disposal Authority.

# **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

# 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

### **KUMHO KBR 01**

Not applicable.

#### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms HSDB: Hazardous Substance Data Bank

used in the safety data sheet

Issued by KIST Europe

Revision date 04/01/2018

Revision 4

SDS status Approved.

Hazard statements in full H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.